



Bending machine model ZGR 3500/0,8

Standard Equipment Included:

- Rear frame supporting the metal sheet (detachable).
- Front bumpers designed for efficient serial cutting of sheet metal.
- Protractor allows accurate sheet metal bending.
- Bending angle limiter with a wide setting range, guarantees repeatability with serial sheet bending.
- Gas cylinders supporting the lifting of the bending beam and the upper beam.

Technical Specifications

| | |
|---------------------------------------|--------------------|
| Working length | 3640 mm |
| Max Sheet thickness: | |
| - Steel (do 400 N / mm ²) | 0,8 mm |
| - Aluminum | 1,2 mm |
| Bending beam thickness | 19 mm |
| Folding angle | 0 ° - 145 ° - 180° |
| Opening the upper beam | 70 mm |
| Dimensions-Length/Width/Height(mm) | 3920/910/1130 |
| Weight | 700 kg |



Advantages of the machine:

- The bending machine with massive reinforced construction ensures stable operation and trouble-free operation of the machine.
- Thanks to the bending beam adjustment system, it is possible to adjust the machine to a specific hardness and elasticity of the sheet.
- Pressure and bending beam made in one milling process from full material which ensures adequate accuracy in the work of the bending machine.
- Eccentric clamp (the clamping force can be adjusted depending on the thickness of the sheet).
- All components are made with us on CNC numerical machines, which translates into a long life of the sheet bending machine

