# BAUBRAS Production of matching

BAUBRAS POLSKA ul. Handlowa 3 35-103 Rzeszów e-mail: biuro@baubras.com

tel. +48 694 745 332

## Bending machine model ZGR 4000/0,8

#### **Standard Equipment Included:**

- Rear frame supporting the metal sheet (detachable).
- Front bumpers designed for efficient serial cutting of sheet metal.
- Protractor allows accurate sheet metal bending.
- Bending angle limiter with a wide setting range,
- guarantees repeatability with serial sheet bending.
- Gas cylinders supporting the lifting of the bending beam and the upper beam.

### **Technical Specifications**

Working length	4140 mm
Max Sheet thickness:	
- Steel (do 400 N / mm²)	0,8 mm
- Aluminum	1,5 mm
Bending beam thickness	24 mm
Folding angle	0 ° - 145 ° - 180°
Opening the upper beam	70 mm
Dimensions-Length/Width/Height(mm)	4350/910/1160
Weight	900 kg



#### Advantages of the machine:

- The bending machine is ideal for workshops as well as for use in flashing / roofing.
- The mobility of the machine is ensured by its small dimensions and weight.
- An additional advantage is the narrow bending beam of only 15mm.
- The structure made entirely of steel guarantees stable operation and trouble-free operation of the machine.
- Pressure and bending beam made in one milling process from full material which ensures appropriate quality and accuracy in the work of the bending machine.
- Eccentric clamp (the clamping force can be adjusted depending on the thickness of the sheet).
- All components are made by us on CNC numerical machines, which translates into a long life of the bending machine.

